HOGGI®

Partnering together to mobilise kids



SWINGBO®2 system wheelchair for kids with 45° tilt

Crash tested according to ISO 7176-19 and ANSI/RESNA WC/Vol.1. - Section 19

Order form incl. Exportprices (€) valid until revoked, release date 10/2023

☐ **Offer** ☐ **Order**

Order number / reference	Date

Invoice address

Company	Customer number
Street	**City, Zip code**
E-Mail	**Telephone**
Fax	

Delivery address

Company	
Street	**City, Zip code**



Basic configuration

Mobility base

- Aluminium rigid frame with centre of gravity tilt in space
- Wheel base adjustable in 2,5 cm steps
- Wheel locks integrated in side panels
- Rear wheels incl. push rims, detachable by quick release axles

Seat unit

- Adjustable seat height
- Push-handle or push-bar included
- Adjustable tilt in space: -5° to +45°
  The tilt mechanism can be limited if the seat height is low, the active degree is low or if the armrests are adjusted lowly.
- Seat depth adjustable by apx. 8 cm
- Choice of seat widths 24 - 36 cm
- Maximum load 60 kg

Minimum information (Without this information your order can not be handled.)

Frame colour _____ (see table “Frame colours”)

Seat width* in cm	☐ 24	☐ 26	☐ 28	☐ 30	☐ 32	☐ 34	☐ 36	**Seat height *** _____ (36 - 47 cm)
Camber	☐ 3°		☐ 6°		☐ 9°			

*** see table "seat measurements, wheel combinations and seat heights"**

Presettings

Seat depth (SD)	_____ (26 - 42 cm)				**Lower length leg (LLL)**	_____ (16 - 37 cm)
Back angle range [1]	☐ 75° - 115°		☐ 80° - 120°		**Back height**	_____ (33 - 55 cm)
Push-handle- and back angle: [2]	☐ 90°	☐ 95°	☐ 100°	☐ 105°		
Active degree [3]	☐ 0	☐ 1	☐ 2	☐ 3	☐ 4	

[1] for angle and height adjustable backrest only
[2] for foldable push handles / push bar only
[3] see figure "Active degree"
[4] see table "Seat measurements"
At missing specifications we will adjust to minimum sizes. The back angle to 90°

Basic variations

with/or: Please select only one variant! SW = Seat width

		Orderno.	Colour	Description			Qty.	Price €
	☐	**3246-10SW**		***SWINGBO® 2* chassis**			**1 pc.**	
with	☐	3245-55SW		Push bar, detachable		01	1 set	incl.
or	☐	3245-58SW		Push bar "wide", detachable		02	1 set	incl.
or	☐	3245-56SW		Push handle, detachable		03	1 set	incl.
or	☐	3245-30SW		Push bar, foldable	**(upcharge)**	04	1 set	
or	☐	3245-38SW		Push bar "wide", foldable	**(upcharge)**	02	1 set	
or	☐	3245-35SW		Push handle, foldable	**(upcharge)**	05	1 set	
or	☐	3248-30SW		Push bar, foldable and angle adjustable	**(upcharge)**	06	1 set	
or	☐	3248-38SW		Push bar "wide", foldable and angle adjustable	**(upcharge)**	02	1 set	
	☐	3245-7300		Tie down kit according to ISO 7176-19		07	1 set	
	☐	3245-5113S		Reinforced locking claws for **foldable** push bar and push handles *	**(upcharge)**	08	1 set	
				*** necessary if used with tie down kit**				

Brakes, wheel cover and side parts

with/or: Please select only one variant!

		Orderno.	Colour	Description			Qty.	Price €
with	☐	1207-1001		Knee lever wheel locks to mount on the frame tube		09	1 set	incl.
or	☐	3246-169x		Wheel lock lever integrated in wheel guards (0=20", 2=22", 4=24")			1 set	
or	☐	3246-169*B		Wheel lock lever integrated in wheel guards, wide for 3° camber (3=22“, 5=24“)			1 set	
with	☐	3246-160x		Wheel guard (0=20", 2=22", 4=24")			1 set	

Rear wheels standard

with/or: Please select only one variant!

		Orderno.	Colour	Description			Qty.	Price €
with	☐	1292-2xx1		Standard rear wheel with aluminium hand rim		10	1 set	incl.
or	☐	1292-3xx1		Standard rear wheel with drum brake and aluminium hand rim	**(upcharge)**	11	1 set	
with	☐	1292-x3xx		22" wheel diameter			1 set	incl.
or	☐	1292-x4xx		24" wheel diameter			1 set	incl.
with	☐	1292-xx1x		Pneumatic tires 1"			1 set	incl.
or	☐	1292-xx2x		Flat free tires 1"			1 set	incl.

Rear wheels *HOGGI* light

with/or: Please select only one variant!

		Orderno.	Colour	Description			Qty.	Price €
with	☐	1292-0xxx		Rear wheel ***HOGGI*** light	**(upcharge)**	12	1 set	
or	☐	1292-1xxx		Rear wheel with drum brake	**(upcharge)**	13	1 set	
with	☐	1292-x2xx		20" wheel diameter			1 set	incl.
or	☐	1292-x3xx		22" wheel diameter			1 set	incl.
or	☐	1292-x4xx		24" wheel diameter			1 set	incl.
with	☐	1292-xx1x		Pneumatic tires 1"			1 set	incl.
or	☐	1292-xx2x		Flat free tires (20x1 3/8", 22x1" und 24x1")			1 set	incl.
with	☐	1292-xxx0		Without push rims				
or	☐	1292-xxx1		Push rims aluminium anodised, "standard" mounting		14	1 set	incl.
or	☐	1292-xxx2		Push rims aluminium anodised, "high" mounting		15	1 set	incl.
or	☐	1292-xxx3		Push rims stainless steel, "standard" mounting	**(upcharge)**	16	1 set	
or	☐	1292-xxx4		Push rims stainless steel, "high" mounting	**(upcharge)**		1 set	
with		☐		Push rim mounting wide				
		☐		Push rim mounting narrow				
or	☐	1204-1155		Closed ergonomic hand rims 22 ", black anodized, for Hoggi-light wheels	**(Upcharge)**	60	1 Set	
or	☐	1204-1156		Closed ergonomic hand rims 24 ", black anodized, for Hoggi-light wheels	**(Upcharge)**		1 Set	
with	☐	1204-105X		"HOGGI Grip" hand rim inserts black, for closed ergonomic hand rims	**(Upcharge)**		1 Set	
with	☐	1204-106X		"HOGGI Grip Plus" hand rim inserts black, for closed ergonomic hand rims	**(Upcharge)**		1 Set	
	☐	1204-114X		Aluminum hand rim with plastic anti-slip coating, black, standard mounting	**(Upcharge)**	61	1 pair	
	☐	1204-114X		Aluminum hand rim with plastic anti-slip coating, black, high mounting	**(Upcharge)**		1 pair	

Spoke guards // Old motifs // Sale

with/or: Please select only one variant!

		Orderno.	Colour	Description			Qty.	Price	€
	☐	1204-101x		Spoke guard, transparent *		17	1 set		
	☐	1204-101x		Spoke guard, transparent, for drum brakes wheels *			1 set		
	☐	1204-101x		Spoke guard, printed **	**(Sale)**	18	1 set		
	☐	1204-101x		Spoke guard, printed, for drum brakes **	**(Sale)**		1 set		
				*** Motifs 2021 only possible in combination with 1204-2001-XXX**					
				**** please enter code of your print design see attachment or brochure "spoke guard" // Only while stocks last!**					
				***** printed spoke guards are not available for 20" wheels**					

Spoke guards // New motifs 2021 (with 10% dealer discount)

		Order no.	Colour	Description	Qty.	Price	€
	☐	1204-2001-000		Spoke guard Special interior foiling, single-coloured according to customer requirements [1] [2]	1 set		
	☐	1204-2001-2XX		Spoke guard Special interior foiling, printed [1] [3]	1 set		
	☐	1204-2001-SA		Spoke guard Special interior foiling, printed according to customer requirements [1]	Price on request		
				[1] only in combination with transparent spoke guard			
				[2] please specify RAL tone			
				[3] Spoke guard motif selectable in "Order form spoke-guards" (available on the website)			

Front castors

with/or: Please select only one variant!

		Orderno.	Colour	Description			Qty.	Price	€
with	☐	1250-1002S		Wheel with rubber tire, black 100x32		19	1 set		incl.
or	☐	1250-1003S		Wheel with rubber tire, black 125x32			1 set		incl.
or	☐	1250-1005S		Wheel with rubber tire, black 140x40			1 set		incl.
or	☐	1249-1005		Skater wheel with LED 100x24	**(upcharge)**	20	1 set		
or	☐	1249-1006		Skater wheel with LED 125x24	**(upcharge)**		1 set		
or	☐	1221-1003		PU-wheel with plastic design rim 100x34	**(upcharge)**	21	1 set		
or	☐	1221-1004		PU-wheel with plastic design rim 125x34	**(upcharge)**		1 set		

Accessories

with/or: Please select only one variant! SW = Seat width

		Orderno.	Colour	Description			Qty.	Price	€
	☐	3246-24SW	002	Seat panel		22	1 set		
	☐	3248-6501	346	Straigt hip supports size 1 (225 x 100 mm), SW 28 - 34 *		23	1 pair		
	☐	3248-6502	346	Straigt hip supports size 2 (250 x 110 mm), SW 28 - 34 *			1 pair		
	☐	3249-6502	346	Straigt hip supports size (250 x 110 mm), SW 36 - 44 *			1 pair		
				*** Hip supports reduce the maximum seat width by 3 cm**					
	☐	3231-7800	346	Abduction block, size 1, swing away (LWH 9x6x9 cm)		24	1 pc.		
	☐	3231-7900	346	Abduction block, size 2, swing away (LWH 11x8x10 cm)			1 pc.		
	☐	3245-29SW	002	Back panel angle- and height adjustable		25	1 set		
				*** in combination with detachable push handle / push bar only**					
	☐	3245-32SW	002	Back, trough shaped and height adjustable *		26	1 set		
				*** in combination with push handle / push bar foldable and angle adjustable**					
	☐	3245-3310		Four gripper clamps with fasteners to arm blank sheet on the back		27	1 set		
	☐	3246-4005	002	Foot rest hanger 90°, LLL short 16 - 27 cm		28	1 set		
	☐	3246-4006	002	Foot rest hanger 90°, LLL long 16 - 37 cm *			1 set		
	☐	3246-4007	002	Foot rest hanger angle adjustable, 85° - 160°, LLL short 19 - 27 cm		29	1 set		
	☐	3246-4008	002	Foot rest hanger angle adjustable, 85° - 160°, LLL long 19 - 37 cm *			1 set		
	☐	SA-0430		Reinforced steel footplate-carrier (about 0,3 kg heavier)			1 pc.		incl.
with	☐	3246-4302		Foot rest bracket angle adjustable, flip up type		30	1 set		incl.
or	☐	3246-4303		Foot rest bracket angle adjustable, with interlocking	**(upcharge)**	31	1 set		
with	☐	3246-44SW		Foot rest		32	1 pc.		
or	☐	3246-45SW		Foot rest with heel stop		33	1 pc.		
	☐	3246-4003	002	Single foot rest hanger, separat angle adj. 85-160°, LLL short 19-27		34	1 set		
or	☐	3246-4004	002	Single foot rest hanger, separat angle adj. 85-160°, LLL long 19-37			1 set		
with	☐	3246-46SW		Two single footplates in boat shape		35	1 set		
				[1)] applicable up from seat width 26 cm [2)] applicable up from seat height 40 cm					
	☐	3246-71SW	346	Seat cushion 3 cm thick		36	1 pc.		
	☐	3246-77SW	346	Seat cushion 3 cm thick with cut out for hip support, (SW 28+30 only)			1 pc.		
	☐	3245-72SW	346	Back cushion, through shaped back, black 2,5 cm thick		37	1 pc.		
	☐	3245-73SW	346	Back cushion, black 2,5 cm thick, SW 24 - 32			1 pc.		
	☐	3245-73SW	346	Back cushion, black 2,5 cm thick, SW 34 - 36			1 pc.		

Accessories

with/or: Please select only one variant! SW = Seat width

		Orderno.	Colour	Description		Qty.	Price	€
with	☐	2240-1505		MDP pad holder swing away and detachable for attachment to round tube D25 mm, left side	38	1 pc.		
with	☐	2240-1506		MDP pad holder swing away and detachable for attachment to round tube D25 mm, right side		1 pc.		
or	☐	2240-1405		MDP pad holder fixed for attachment to round tube D25 mm, left/right side	39	1 pc.		
with	☐	2240-1461	346	MDP trunk support size 1 (8 x 10 x 2 cm), cover black	40	1 pc.		
or	☐	2240-1462	346	MDP trunk support size 2 (10 x 12 x 2 cm), cover black		1 pc.		
or	☐	2240-1463	346	MDP trunk support size 3 (12 x 13 x 2 cm), cover black		1 pc.		
or	☐	2240-1471		MDP trunk support curved size 1 (6 x 11,5 x 2,5 cm), PU w/o cover	41	1 pc.		
or	☐	2240-1472		MDP trunk support curved size 2 (8 x 14 x 2,5 cm), PU w/o cover		1 pc.		
	☐	1204-1015		Push-rim cover in silicone black fluted 20"	42	1 set		
	☐	1204-1016		Push-rim cover in silicone black fluted 22"		1 set		
	☐	1204-1017		Push-rim cover in silicone black fluted 24"		1 set		
	☐	3245-1801		Anti tip left	43	1 pc.		
	☐	3245-1802		Anti tip right		1 pc.		
	☐	3245-1901		Tip assist, left	44	1 pc.		
	☐	3245-1902		Tip assist, right		1 pc.		
	☐	3243-7602	346	Head support standard with upholstery, SW 24 - SW 26	45	1 pc.		
	☐	3243-7603	346	Head support standard with upholstery, SW 28 - SW 30		1 pc.		
	☐	3201-3830		Headrest bracket "universal" (for 3245-7800 or third-party products)	46	1 pc.		
	☐	3245-7800		Head support with occiput upholstery incl. mount. bracket	47	1 pc.		
	☐	3200-0401		Belt routing as a T-strap above the shoulders	48	1 pc.		
	☐	3245-6802	346	Thoracic support, particular adjustable, size (12x13x2 cm) *	49	1 set		
				*** in combination with angle and height adjustable back 3245-29SW only**				
	☐	3246-6802	346	Thoracic support, adjusted to back panel trough shaped (size 12x13x2 cm)		1 set		
	☐	3245-6401	346	Chest-/ thoracic support, size 1, length 33 - 43 cm *	50	1 pc.		
	☐	3245-6402	346	Chest-/ thoracic support, size 2, length 39 - 49 cm *		1 pc.		
	☐	3245-6403	346	Chest-/ thoracic support, size 3, length 45 - 55 cm *		1 pc.		
				*** chest measurement measured up from the back rest, in combination with angle and height adjustable back 3245-29SW only**				
				*** by ordering these articles in combination with a back panel trough shaped SA-0295-MP must be taken additionally**				
	☐	3246-6200		Armrests, size 1, height 14 - 21 cm *		1 pair		
				*** depending on seat height and seat angle not all "armrestheights" are available**				
				*** Tilt may be limited with certain settings**				
or	☐	3246-6300		Armrests, size 2, height 19 - 26 cm *		1 pair		
				*** depending on seat height and seat angle not all "armrestheights" are available**				
or	☐	3246-6400		Armrests with tilt balancing size 1, height 15-23 cm	51	1 pair		
or	☐	3246-6500		Armrests with tilt balancing size 2, height 18-26 cm		1 pair		
with	☐	7000-0051		PU-armrest pads, 235 mm long		1 pair		incl.
or	☐	7000-0052		PU-armrest pads, 270 mm long		1 pair		incl.
	☐	3240-8202		Therapy tray, size 2, SW 24 - 26 *	52	1 pc.		
	☐	3240-8203		Therapy tray, size 3, SW 28 - 32 *		1 pc.		
				*** in combination with armrests only**				
	☐	3201-6100		Lap belt	53	1 pc.		
	☐	3240-6701		***SWINGBO*** ® 4-point lap belt, size S (SW 22 - 30)	54	1 pc.		
	☐	3240-6702		***SWINGBO*** ® 4-point lap belt, size M (SW 28 - 34)		1 pc.		
	☐	3240-6703		***SWINGBO*** ® 4-point lap belt, size L (SW 34 - 42)		1 pc.		
	☐	3201-6400		Ankle hugger, size 1	55	1 pair		
	☐	3203-6400		Ankle hugger, size 2		1 pair		


Extra equipment

	Order no.	Colour	Description		Qty.	Price	€
☐	7000-0199		"Cosies" Thermofleece hand warmer for companion	56	1 set		

Custom-made

	Orderno.	Colour	Description		Qty.	Price €
☐	3246-80SW		Contoured seat cushion, with abduction, leg and ischial support, with removable cushion cover, SW 24 - 32 *	57	1 pc.	
☐	3246-80SW		Contoured seat cushion, with abduction, leg and ischial support, with removable cushion cover, SW 34 - 36 *		1 pc.	
			*** not combinable with hip supports and abduction block**			
☐	SA-0286/2-KP		Abduction block 30 mm height extension kit *		1 set	
			*** only in combination with abduction block and contoured seat cushion**			
☐	SA-0210-MP		Special Frame colour, RAL code only **(Upcharge)**		1 pc.	
☐	6999-0014	060	Special Frame colour, Copper Gold **(Upcharge)**		1 pc.	
☐	6999-0017/2		Wheel fork powder coated, color according to customer specification **(Upcharge)**		1 pc.	
☐	3245-9300	346	***SWINGBO®*** canopy incl. adapter and rain protection, black *	59	1 pc.	
			*** in combination with angle and height adjustable back 3245-29SW only**			
☐	SA-0183		Extension push-bar	59	1 set	
	☐		5 cm extension			
	☐		10 cm extension			
☐	SA-0572-F-MP		Plastic anti-slip coating in custom colour: Pure white (RAL 9010), Silver grey (RAL 7001), Sky blue (RAL 5015), Traffic red (RAL 3020), Pure orange (RAL 2004)* **(Upcharge)**	62	1 pair	
			*** only in combination with HOGGI light rear wheels**			
☐	SA-0093-MP		Maxgrepp Original Greifreifen **(Upcharge)**	63	1 set	
☐	SA-0094-MP		Maxgrepp Ergo Para Greifreifen **(Upcharge)**	64	1 set	
☐	SA-0095-MP		Maxgrepp Ergo Para CP Greifreifen **(Upcharge)**	65	1 set	
☐	SA-0390		Upholstery in special colour (see table upholstery colours)		Price on request	
☐	SA-0279/2-KP		***SWINGBO®*** outdoor front end *	66	1 pc.	
			*** additional costs for retrofitting**			
☐	SA-0315/3-MP		Reconstruction SWINGBO®VTi for ProAktiv One hand drive	67	1 pc.	
☐	SA-0158-KP		Calf upholstery suitable to SW **(Upcharge)**		1 pc.	
☐	SA-0594		Carbon wheel cover **(Upcharge)**	68	Price on request	

How to measure



Seat measurements

Seat width (SW)	24	26	28	30	32	34	36
Mounting width between the seat adaptor plates	23,5	25,5	27,5	29,5	31,5	33,5	35,5
Seat depth	26 - 30	26 - 32	26 - 34	28 - 36	30 - 38	32 - 40	34 - 42
Backrest height, back trough shaped	36 - 44	37 - 45	38 - 48	39 - 49	40 - 50	42 - 54	43 - 55
Backrest height, panel angle adjustable	33 - 42	35 - 44	37 - 46	39 - 48	41 - 50	43 - 52	45 - 54

***reduction of the seat-width between the privot points by 2 cm if you are selecting article 3248(9)-30SB or 3245-29SB**

Wheel combinations and seat heights

Front castors / **Rear wheels**

20 x 1"

Wheel diameter 100 mm	Camber: 3°	6°	9°
☐ Seat height 36	o	K	K
☐ Seat height 37	K	o	K
☐ Seat height 38	K	K	K
☐ Seat height 39	K	L	o
☐ Seat height 40	o	L	L
☐ Seat height 41	L	o	L
☐ Seat height 42	L	L	L
☐ Seat height 43	L	o	o

Wheel diameter 125 mm	Camber: 3°	6°	9°
☐ Seat height 36	o	K	o
☐ Seat height 37	K	o	K
☐ Seat height 38	K	K	K
☐ Seat height 39	K	K	o
☐ Seat height 40	o	L	o
☐ Seat height 41	L	L	L
☐ Seat height 42	L	o	L
☐ Seat height 43	L	o	o

Wheel diameter 140 mm	Camber: 3°	6°	9°
☐ Seat height 36	o	o	o
☐ Seat height 37	o	K	o
☐ Seat height 38	K	K	K
☐ Seat height 39	K	o	K
☐ Seat height 40	K	o	K
☐ Seat height 41	L	L	o
☐ Seat height 42	o	L	L
☐ Seat height 43	L	o	o

22 x 1"

Wheel diameter 100 mm	Camber: 3°	6°	9°
☐ Seat height 38	o	K	K
☐ Seat height 39	o	L	L
☐ Seat height 40	L	o	L
☐ Seat height 41	L	o	L
☐ Seat height 42	L	L	o
☐ Seat height 43	L+	L+	L+
☐ Seat height 44	o	L+	o
☐ Seat height 45	L+	o	o

Wheel diameter 125 mm	Camber: 3°	6°	9°
☐ Seat height 38	o	K	K
☐ Seat height 39	o	K	K
☐ Seat height 40	K	o	L
☐ Seat height 41	L	L	L
☐ Seat height 42	L	L	o
☐ Seat height 43	o	L	L
☐ Seat height 44	o	L+	o
☐ Seat height 45	L+	o	o

Wheel diameter 140 mm	Camber: 3°	6°	9°
☐ Seat height 38	o	K	K
☐ Seat height 39	K	K	o
☐ Seat height 40	o	K	K
☐ Seat height 41	o	L	L
☐ Seat height 42	L	o	L
☐ Seat height 43	L	L	L
☐ Seat height 44	L	L	o
☐ Seat height 45	o	o	o

24 x 1"

Wheel diameter 100 mm	Camber: 3°	6°	9°
☐ Seat height 40	o	o	L
☐ Seat height 41	o	L	L
☐ Seat height 42	L	L	o
☐ Seat height 43	L+	L+	L+
☐ Seat height 44	o	L+	L+
☐ Seat height 45	L+	L+	L+
☐ Seat height 46	L+	o	o
☐ Seat height 47	o	o	o

Wheel diameter 125 mm	Camber: 3°	6°	9°
☐ Seat height 40	o	o	L
☐ Seat height 41	o	L	o
☐ Seat height 42	L	L	L
☐ Seat height 43	o	L	L
☐ Seat height 44	o	o	L+
☐ Seat height 45	L+	L+	L+
☐ Seat height 46	L+	o	L+
☐ Seat height 47	L+	L+	o

Wheel diameter 140 mm	Camber: 3°	6°	9°
☐ Seat height 40	o	o	K
☐ Seat height 41	o	L	L
☐ Seat height 42	L	o	L
☐ Seat height 43	L	L	L
☐ Seat height 44	L	L	o
☐ Seat height 45	o	L+	L+
☐ Seat height 46	o	L+	L+
☐ Seat height 47	L+	L+	o

o	not available		
K	1281-1001	Short wheel fork with short wheel fork attachment	1 set incl.
K+	1281-1004	Short wheel fork with long wheel fork attachment	1 set incl.
L	1281-1002	Long wheel fork with short wheel fork attachment	1 set incl.
L+	1281-1003	Long wheel fork with long wheel fork attachment	1 set incl.

(Seat height measurements are approximate values, tolerance +/- 10mm)

Upholstery colours

346	Black	**321**	Spacer fabric, black	**(special colour)**	**348**	Grey Soft	**(special colour)**
		347	Berry Soft	**(special colour)**	**349**	Turquoise Soft	**(special colour)**

All HOGGI upholstery are made from flame retardant Trevira CS. Exception spacer fabric (**321**).

Frame colours

001 Black	(RAL 9005)	**020** Yellow green	(RAL 6018)	**028** Pearl violet	(RAL 4011)	**056** Turqoise blue	(RAL 5018)
002 Silver		**021** Grey aluminium	(RAL 9007)	**029** Pearl beige	(RAL 1035)	**057** Iron sparkling dark light	
003 Pearl ruby red	(RAL 3032)	**022** White	(RAL 9003)	**032** Black dull matt	(RAL 9005M)	**058** Salmon orange	(RAL 2012)
004 Pearl night blue	(RAL 5026)	**023** Pure orange	(RAL 2004)	**039** Signal violet	(RAL 4008)	**059** Pastel blue	(RAL 5024)
005 Pearl gentiant blue	(RAL 5025)	**024** Sparkling iron effect		**040** Night blue	(RAL 5022)	**061** Light pink	(RAL 3015)
017 Traffic yellow	(RAL 1023)	**025** Signal blue	(RAL 5005)	**050** White matt	(RAL 9003)	**064** Olive green	(RAL 6003)
018 Flame red	(RAL 3000)	**026** Vermillion	(RAL 2002)	**053** Light green	(RAL 6027)	**065** Raspberry red	(RAL 3027)
019 Sky blue	(RAL 5015)	**027** Heather violet	(RAL 4003)	**054** Ocean blue	(RAL 5020)	**066** Pastel green	(RAL 6019)

SA-0210-MP Special colours on request (Enter RAL code _____) **Upcharge**

Spoke guard



Colour code

201	***HOGGI*** blue	**205**	Train
202	Wonderland	**206**	Dragon
203	Mouse	**207**	Circus
204	Water world		

CONFIGURATIONS // ACCESSORIES // SWINGBO® 2

01

Push bar, detachable

02

Push bar „wide“

03

Push handles, detachable

04


Push bar, foldable

05

Push handles, foldable

06

Push bar, foldable and angle adjustable

07

Tie down kit

08

Reinforced locking claws

09

Knee lever wheel locks

10

Standard rear wheel

11

Standard rear wheel with drum brake

12

Rear wheel HOGGI light

13

Rear wheel HOGGI light with drum brake

14

Push rims aluminium anodised, standard

15

Push rims aluminium anodised, high

16

Push rims stainless steel, standard

17

Spoke guard, transparent

18

Spoke guard, printed

19


Wheel with rubber tire


20

Skater wheel with LED

21


PU-wheel with plastic design rim

22

Seat panel

23

Hip supports

24

Abduction block

25

Back panel angle- and height adjustable

26

Back, trough shaped and height adjustable

27

Four gripper clamps

28

Foot rest hanger 90°

29

Foot rest hanger angle adjustable

30

Foot rest bracket, flip up type

CONFIGURATIONS // ACCESSORIES // SWINGBO® 2

31

Foot rest bracket with interlocking

32

Foot rest, flat

33


Foot rest with heel stop

34

Single foot rest hanger

35

Two single footplates in boat shape

36

Seat cushion

37


Back cushion

38

MDP pad holder swing away and detachable

39

MDP pad holder fixed

40

MDP trunk support

41

MDP trunk support curved

42


Push-rim cover

43

Anti Tip

44

Tip assist

45

Head support standard with upholstery

46

Headrest bracket universal

47

Head support with occiput upholstery

48

Belt routing as a T-strap

49


Thoracic support

50

Chest-/ thoracic support

51

Armrests with tilt balancing

52

Therapy tray

53

Lap belt

54

4-point lap belt

55

Ankle hugger

56

„Cosies“ Thermofleece hand warmer

57

Contoured seat cushion

58

Canopy

59

Extension push-bar

60

Closed ergonomic hand rims

CONFIGURATIONS // ACCESSORIES // SWINGBO® 2

61



Aluminum hand rim with plastic anti-slip coating

62



Aluminum hand rim with plastic anti-slip coating

63



Maxgrepp Original push rims

64



Maxgrepp Ergo Para push rims

65



Maxgrepp Ergo Para CP push rims

66



Outdoor front end

67



One-hand drive of „ProActiv“

68



Carbon wheel cover